

FROM SENSORS TO DECISIONS: AI'S IMPACT ON AUTONOMOUS VEHICLE PERCEPTION

Jelena Pisarov^{1, *} and Gyula Mester²

¹University of Novi Sad – Faculty of Sciences, Department of Physics
Novi Sad, Serbia

²University of Szeged – Faculty of Engineering
Szeged, Hungary

DOI: [10.7906/indexs.24.6.1](https://doi.org/10.7906/indexs.24.6.1)
Regular article

Received: 15 June 2026.
Accepted: 20 July 2026.

ABSTRACT

Autonomous vehicles represent a transformative paradigm shift in global mobility, aiming to drastically reduce human-error-related fatalities while enhancing transport efficiency. The primary aim of this research is to evaluate the “Perception-to-Decision” pipeline, specifically focusing on how Artificial Intelligence (AI) integrates multi-modal sensory data to create a resilient cognitive framework for Level 5 autonomy. The methodology employed involves a comprehensive analysis of sensor fusion architectures, juxtaposing high-resolution visual data from Cameras with precise 3D point clouds from LiDAR and weather-resilient telemetry from Radar systems. Furthermore, the study examines the implementation of Deep Learning models for real-time object detection and Reinforcement Learning for dynamic trajectory planning within non-deterministic urban environments. The results of this study demonstrate that while individual sensors possess inherent physical limitations – such as camera sensitivity to glare or LiDAR’s degradation in heavy precipitation – AI-driven sensor fusion significantly mitigates these vulnerabilities by cross-referencing data streams to reduce environmental uncertainty. Data synthesis indicates that hybrid AI architectures, combined with edge computing, enhance the reliability of object recognition and behaviour prediction. In conclusion, the research finds that the synergy between robust multi-modal perception and explainable AI (XAI) is the fundamental cornerstone for safe autonomous deployment. The study suggests that future scalability depends on the integration of V2X (Vehicle-to-Everything) cooperative autonomy, which provides the “extended eye” necessary for navigating complex edge cases, thereby establishing a roadmap for the next generation of intelligent, trustworthy transportation systems.

KEY WORDS

autonomous vehicles, multi-sensor fusion, deep learning algorithms, explainable AI, V2X communication

CLASSIFICATION

JEL: O33, R42

*Corresponding author, *η*: jelena.pisarov@gmail.com; -;
UNS – PMF office, Department of Physics, Trg Dositeja Obradovića 4, RS – 21 000 Novi Sad, Serbia

INTRODUCTION

The automotive industry is currently witnessing its most significant transformation since the invention of the internal combustion engine. The transition towards *autonomous mobility* is not merely a technological trend but a radical shift in how society perceives transportation, safety, and urban infrastructure. As human error remains the contributing factor in over 90% of road accidents globally, the drive towards full autonomy – categorised as *Level 5 autonomy* by the Society of Automotive Engineers (SAE) – has become a paramount objective for researchers and manufacturers alike. At the heart of this revolution lies the *perception system*, a complex sensory architecture that allows an Autonomous Vehicle (AV) to sense, interpret, and navigate the world without human intervention.

However, replicating the human cognitive ability to perceive environments is an immense challenge. While a human driver uses visual cues and experience to navigate, an AV must rely on a synthetic “digital nervous system”. This system is composed of an array of sensors, including High-Definition (HD) Cameras, *Light Detection and Ranging* (LiDAR), and *Radio Detection and Ranging* (Radar). Each of these sensors provides a different perspective of the world: cameras offer *semantic richness*, LiDAR provides precise spatial geometry, and radar ensures reliability in adverse conditions. The integration of these diverse data streams, known as *multi-sensor fusion*, is what enables the vehicle to maintain situational awareness.

The modern AV sensory suite is strategically positioned to provide 360-degree coverage, managed by a *multi-domain controller* that synchronises inputs to ensure there are no blind spots in the vehicle’s field of view [1]. Yet, raw data alone is insufficient for safe navigation. The true intelligence of the system resides in the *Artificial Intelligence* (AI) algorithms that process this information. Through *Deep Learning* (DL) and *Reinforcement Learning* (RL), the vehicle’s onboard computer can identify pedestrians, predict the trajectory of other cars, and make split-second decisions that ensure safety.

These algorithms translate raw sensory data into a digital map where objects are classified and tracked in real-time, allowing for safe interaction with the environment [2].

The primary focus of this article is to explore the synergy between these hardware sensors and the AI-driven software that powers them. By analyzing the strengths and weaknesses of each sensor type and examining the role of sensor fusion, we aim to demonstrate how a unified perception framework can overcome individual sensor limitations. Furthermore, this introduction sets the stage for a deeper discussion on the necessity of *Explainable AI* (XAI) and *Vehicle-to-Everything* (V2X) communication, which are critical for the next phase of autonomous deployment and public trust.

SENSORY TECHNOLOGIES AND DATA MODALITIES

To achieve reliable *situational awareness*, autonomous systems must cross-reference data from multiple sources. Each sensor type operates on different physical principles, providing a unique set of advantages and limitations.

VISION-BASED SYSTEMS (CAMERAS)

High-definition cameras are the only sensors capable of capturing *semantic data*, such as the colour of a traffic light or the text on a road sign. They operate in the visible light spectrum and provide high-resolution images that are essential for *image classification*. However, their performance is severely degraded in low-light conditions or during *adverse weather* such as heavy fog.

LIDAR (LIGHT DETECTION AND RANGING)

LiDAR sensors emit rapid laser pulses to create a precise *3D point cloud* of the environment. This technology is superior for detecting the exact shape and distance of objects. Because it provides its own light source, it works perfectly at night. Its main drawback is the high cost and sensitivity to airborne particles like rain or snow.

RADAR (RADIO DETECTION AND RANGING)

Radar uses radio waves to determine the velocity and distance of surrounding objects. Unlike cameras and LiDAR, radar is virtually immune to weather conditions, making it the "fail-safe" sensor for *adaptive cruise control* and emergency braking.

Table 1. Comparative analysis of autonomous vehicle sensors.

Feature	Camera	LiDAR	Radar
Object Detection	Excellent	Excellent	Good
Range (Domet)	Short/Medium	Long	Long
Weather Resistance	Low	Medium	Excellent
Night Vision	Poor	Excellent	Excellent
Cost	Low	High	Medium
Colour Recognition	Yes	No	No

MATHEMATICAL FOUNDATION OF SENSOR FUSION

To achieve a reliable transition from perception to decision, AVs utilise probabilistic models to resolve environmental ambiguities. The **Kalman Filter** is the industry standard for state estimation, allowing the AI to predict an object's future position and subsequently update that prediction with real-time sensor measurements.

The State Prediction Formula:

$$\hat{x}_k = F_k \hat{x}_{k-1} + B_k u_k, \quad (1)$$

where $\hat{x}_k$ is estimated state, F_k is state transition model, B_k is control-input model, and u_k is control vector.

The integration of the Kalman Filter allows the system to effectively manage *measurement noise*. By calculating the *covariance matrix*, the AI determines the level of certainty for each sensor's input. This ensures that the final driving decision is based on the most statistically probable environmental state, providing a mathematical 'fail-safe' when sensors provide conflicting data (e.g., in heavy rain where LiDAR might be noisier than Radar).

This mathematical framework enables the AI to quantify uncertainty. For instance, during heavy rain, the system may "weight" Radar data more heavily than visual inputs, thereby reducing the probability of a false negative in object detection.

CONNECTIVITY AND CLOUD INTEGRATION

Modern autonomous vehicles do not operate in isolation. To navigate complex urban environments, they require constant connectivity to external networks. This is managed by the *Telematics Control Unit* (TCU), which acts as the vehicle's gateway to the outside world.

The TCU enables the vehicle to communicate with *Non-Terrestrial Networks* (NTN) and terrestrial cellular towers. This connectivity is vital for several reasons:

- **Remote Operation** – Allowing a human operator to take control in emergency "edge cases".
- **eCall and Safety** – Automated emergency responses in case of a collision.

- **Roaming and Border Crossing** – Maintaining continuous data flow as the vehicle moves across different network regions, such as North America or Europe.

EDGE COMPUTING AND LATENCY REDUCTION

Connectivity isn't just about satellites; it is about speed. To achieve *real-time processing*, autonomous vehicles utilise *Edge Computing*. Instead of sending all data to a distant cloud server, the *Multi-domain controller* processes critical safety data locally [3-11].

The TCU manages these high-speed handovers. This is especially important for:

- **V2I (Vehicle-to-Infrastructure)** – Communicating with smart traffic lights to optimise flow.
- **V2V (Vehicle-to-Vehicle)** – Sharing “hidden” data, such as a car two vehicles ahead braking suddenly.
- **Cooperative Autonomy** – Allowing a fleet of vehicles to move as a single, synchronised unit to reduce congestion.

Furthermore, the implementation of *Multi-Access Edge Computing* (MEC) allows for distributed intelligence. This reduces the cognitive load on the vehicle's central processor by offloading non-critical infrastructure data to the cloud, while keeping ‘life-critical’ perception tasks – such as pedestrian emergency braking – within the local high-speed processing loop.

FROM PERCEPTION TO BEHAVIORAL DECISION-MAKING

The transition from sensing to acting is governed by the Decision-Making Layer. Once the fusion process generates a 360-degree environmental map, the AI must execute high-level cognitive tasks:

- **Path Planning** – AI algorithms calculate the optimal trajectory by evaluating thousands of potential paths per second, prioritising safety and fuel efficiency.
- **Policy Refinement through Reinforcement Learning** – The vehicle employs *Reinforcement Learning* (RL) to refine its driving policy. Through millions of simulated miles, the system learns to negotiate complex scenarios, such as merging into high-speed traffic, by balancing safety rewards against efficiency goals.
- **Collision Avoidance** – By predicting the intent of other road users, the AI-driven system can pre-emptively engage emergency steering if it calculates a high-probability impact zone.

The vehicle employs RL to refine its driving policy, learning to balance safety rewards against efficiency goals in complex scenarios like high-speed highway merging.

FUTURE CHALLENGES: EXPLAINABLE AI

Before the conclusion, we can add a section on Explainable AI (XAI). One of the biggest hurdles for Level 5 autonomy is not just making a decision, but explaining *why* it was made [12-19]. XAI aims to make the “black box” of Deep Learning transparent for regulators and insurance companies. This transparency is the fundamental cornerstone for establishing public trust in autonomous systems.

XAI provides a traceable audit trail, which is essential for legal and insurance frameworks to understand the rationale behind an AI's decision in unforeseen ‘edge case’ incidents.

Explainability is not merely a technical requirement but a legal necessity for Level 5 autonomy [20-22]. In the event of an ‘edge case’ incident, XAI provides a traceable audit trail that allows human regulators to understand whether a decision was based on a sensor anomaly or a calculated safety trade-off. This transparency is the fundamental cornerstone for establishing public trust and navigating the complex insurance frameworks required for global AV deployment.

CONCLUSION

The journey from raw sensor inputs to real-time driving decisions is a testament to the power of AI. By combining the strengths of Cameras, LiDAR, and Radar, and overcoming their individual weaknesses through AI-driven sensor fusion, autonomous vehicles are reaching new levels of reliability.

As research continues to advance, the focus on XAI and cooperative systems will be the key to achieving large-scale societal deployment. Future scalability depends on the integration of V2X communication, providing the “extended eye” necessary for navigating complex environments.

REFERENCES

- [1] Gibbons, R.: *Under the Autonomous Hood*.
<https://medium.com/@ryangibbs35/under-the-autonomous-hood-fc82bdda520b>, accessed 6th May 2026,
- [2] Analytics: *How Bounding Box Object Detection is Taking Over*. Medium.
<https://medium.com/analytics/how-bounding-box-object-detection-is-taking-over-and-what-to-do-about-it-9130b6d6c1f1>, accessed 6th May 2026,
- [3] Wireless Validation Services: *TCU and NTN Connectivity Framework*.
https://www.rohde-schwarz.com/solutions/test-and-measurement/wireless-communication/cellular-v2x/tcu-testing_256154.html, accessed 6th May 2026,
- [4] Mester, G. and Pisarov, J.: *Hydrogen Fuel Cell Vehicles*.
Interdisciplinary Description of Complex Systems **23**(2), 105-109, 2025,
<http://dx.doi.org/10.7906/indecs.23.2.3>,
- [5] Nemes, A.; Mester, Gy. and Mester, T.: *A Soft Computing Method for Efficient Modelling of Smart Cities Noise Pollution*.
Interdisciplinary Description of Complex Systems **16**(3-A), 302-312, 2018,
<http://dx.doi.org/10.7906/indecs.16.3.1>,
- [6] Marjanovic, U.; Mester, Gy. and Milic Marjanovic, B.: *Assessing the Success of Artificial Intelligence Tools: An Evaluation of ChatGPT using the Information System Success Model*.
Interdisciplinary Description of Complex Systems **22**(3), 266-275, 2024,
<http://dx.doi.org/10.7906/indecs.22.3.3>,
- [7] Bautista, C. and Mester, Gy.: *Internet of Things in Self-Driving Cars Environment*.
Interdisciplinary Description of Complex Systems **21**(2), 188-198, 2023,
<http://dx.doi.org/10.7906/indecs.21.2.8>,
- [8] Zilahy, D. and Mester, Gy.: *Managing Negative Emotions Caused by Self-Driving*.
Interdisciplinary Description of Complex Systems **21**(4), 351-355, 2023,
<http://dx.doi.org/10.7906/indecs.21.4.4>,
- [9] Pisarov, J.L. and Mester, Gy.: *Self-Driving Robotic Cars: Cyber Security Developments*.
In: *Research Anthology on Cross-Disciplinary Designs and Applications of Automation*. IGI Global, pp.969-1001, 2022,
<http://dx.doi.org/10.4018/978-1-6684-3694-3.ch048>,
- [10] Pisarov, J.: *Smart Cars as a Solution for Overpopulation*.
Interdisciplinary Description of Complex Systems **20**(1), 11-15, 2022,
<http://dx.doi.org/10.7906/indecs.20.1.2>,
- [11] Pisarov, J.: *A személy-és teherforgalom digitalizálása*.
In: Magyar Tudomány Napja a Délvidéken. Vajdasági Magyar Tudományos Társaság, Novi Sad, pp.278-287, 2023,
- [12] Mester, Gy. and Pisarov, J.: *Digitalization in Modern Transport of Passengers and Freight*.
Review of the National Center for Digitization **39**, 83-89, 2021,
- [13] Mester, Gy. and Bautista, C.: *Automotive Digital Perception*.
Review of the National Center for Digitization **39**, 90-95, 2021,

- [14] Pisarov, J.L. and Mester, Gy.: *The use of autonomous vehicles in transportation*.
Tehnika **76**(2), 171-177, 2021,
<http://dx.doi.org/10.5937/tehnika2102171P>,
- [15] Pisarov, J. and Mester, Gy.: *Implementing New Mobility Concepts with Autonomous Self-Driving Robotic Cars*.
IPSI Transactions on Advanced Research **17**(2), 41-49, 2021,
- [16] Pisarov, J. and Mester, Gy.: *The Future of Autonomous Vehicles*.
FME Transactions **49**(1), 29-35, 2021,
<http://dx.doi.org/10.5937/fme2101029P>,
- [17] Albini, A.; Albininé Budavári, E. and Mester, Gy.: *Adaptation of Bittorrent Technology for Routing Autonomous Vehicles*.
IPSI Transactions on Advanced Research **17**(2), 2021,
- [18] Pisarov, J.: *Autonomous Driving*.
IPSI Transactions on Advanced Research **17**(2), 19-27, 2021,
- [19] Pisarov, J.: *5G i samovozeći automobili*.
In: *Proceedings of the XXVI Skup Trendovi razvoja, Inovacije u modernom obrazovanju*.
University of Novi Sad, Kopaonik, pp.391-394, 2020,
- [20] Pisarov, J. and Mester, Gy.: *The Impact of 5G Technology on Life in the 21st Century*.
IPSI Transactions on Advanced Research **16**(2), pp.11-14, 2020,
- [21] Pisarov, J.: *Önvezető autók okos városokban*.
In: *Proceedings of the European Smart Sustainable and Safe Cities Conference*. Budapest, 2020,
- [22] Pisarov, J.: *Az autonóm járművek jövője*.
In: *Proceedings VMT 2020*. Vajdasági Magyar Tudóstalálkozó, Vajdasági Magyar Akadémiai Tanács, Subotica, pp.1-9, 2020.